P.O. BOX 1450 ALEXANDRIA, VA 22313-1450 IF UNDELIVERABLE RETURN IN TEN DAYS COMMISSIONER FOR PATENTS

OFFICIAL BUSINESS

AN EQUAL OPPORTUNITY EMPLOYER





UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

	\2	, Q27		
APPLICATION NO.	FILING DA	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/673,084	09/26/2003	Zvi Vlodavsky	P16495	7504
	7590 04/09/2007 hoff, Talwalkar & Allison L	LC	EXAM	IINER
Five Elm Street	1		REZA, MOH	IAMMAD W
New Canaan, C	CI 06840		ART UNIT	PAPER NUMBER
			2136	

L	2 MONTHS	04/09/2007	DADED
Г	SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

		Application No.	Applicant(s)
		10/673,084	VLODAVSKY ET AL.
	Office Action Summary	Examiner	Art Unit
		Mohammad W. Reza	2136
Period fo	The MAILING DATE of this communication apport	pears on the cover sheet with the c	orrespondence address –
A SHO WHIC - Exter after - If NO - Failu Any	ORTENED STATUTORY PERIOD FOR REPLEMENTED IS LONGER, FROM THE MAILING DISTRICT IN THE MAILING DISTRICT DISTRI	ATE OF THIS COMMUNICATION (36(a). In no event, however, may a reply be tirwill apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	N. nely filed n the mailing date of this communication. ED (35 U.S.C. § 133).
Status			•
1)[\inf	Responsive to communication(s) filed on 26 S	September 2003.	
, —	•	s action is non-final.	
3)	Since this application is in condition for allowa	nce except for formal matters, pro	osecution as to the merits is
	closed in accordance with the practice under	<i>Ex parte Quayle</i> , 1935 C.D. 11, 4	53 O.G. 213.
Disposit	ion of Claims		
4)⊠	Claim(s) 1-32 is/are pending in the application	1.	
,	4a) Of the above claim(s) is/are withdra		
5)□	Claim(s) is/are allowed.	•	
6)🖂	Claim(s) <u>1-32</u> is/are rejected.		
7)	Claim(s) is/are objected to.	•	
8)□	Claim(s) are subject to restriction and/	or election requirement.	
Applicat	ion Papers		
9)□	The specification is objected to by the Examin	er.	`
<i>,</i> —	The drawing(s) filed on <u>26 September 2003</u> is		cted to by the Examiner.
, <u> </u>	Applicant may not request that any objection to the		
	Replacement drawing sheet(s) including the corre		
11)	The oath or declaration is objected to by the E	examiner. Note the attached Office	e Action or form PTO-152.
Priority	under 35 U.S.C. § 119		
12)	Acknowledgment is made of a claim for foreig	n priority under 35 U.S.C. § 119(a	a)-(d) or (f).
)		
,	1. Certified copies of the priority documer	nts have been received.	
	2. Certified copies of the priority documen	nts have been received in Applica	tion No
	3. Copies of the certified copies of the pri		ved in this National Stage
	application from the International Bure		
*	See the attached detailed Office action for a lis	st of the certified copies not receive	/ed.
Attachme	• •	4) 🔲 Interview Summa	rv (PTO-413)
	ice of References Cited (PTO-892) ice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail	Date
3) 🔲 Info	ormation Disclosure Statement(s) (PTO/SB/08) per No(s)/Mail Date	5) Notice of Informal 6) Other:	Patent Application
ا ا	or motophilan bato	-,	

Art Unit: 2136

DETAILED ACTION

1. Claims 1-32 are presented for examination.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 2. Claims 1-32 are rejected under 35 U.S.C. 102(e) as being anticipated by Thomas Anthony Parker hereafter Parker (US patent 6832313).
- 3. As per claim 1, Parker discloses a method, comprising: receiving at a client device a key from a first network adaptor, the key being associated with a remote management device; and storing the key at a second network adapter (col. 1, lines 50-67, col. 2, lines 23-51).
- 4. As per claim 2-3, Parker discloses a method, wherein the key is stored in a non-volatile storage unit at the second network adapter and wherein an encrypted version of the key is received from the first network adaptor and stored at the second network adapter (col. 6, lines 57-67, col. 7, lines 1-16, lines 32-52).
- 5. As per claim 4, Parker discloses a method comprising prior to said receiving: determining a clear-text key during an initialization process; and providing the clear-text

Art Unit: 2136

key to the first network adapter, wherein the first network adapter is to encrypt the cleartext key and store the encrypted key (col. 1, lines 34-49).

- 6. As per claim 5, Parker discloses a method comprising: storing at the client device an indication that the key is currently stored at the second network adapter (col. 6, lines 57-67, col. 7, lines 1-16, lines 32-52).
- 7. As per claim 6-7, Parker discloses a method comprising prior to said receiving: determining that the second network adapter is to communicate with the remote management device, and wherein the determination of the second network adapter is based on a determination that the first network adapter is no longer able to communicate with the remote management device (col. 6, lines 57-67, col. 7, lines 1-16, lines 32-52).
- 8. As per claim 8, Parker discloses a method wherein the received key is stored in a volatile memory unit at the client device, and said storing further comprises: retrieving the key from the volatile memory unit; and storing the key at a second network adapter (col. 3, lines 42-67).
- 9. As per claim 9, Parker discloses the method comprising prior to said receiving: selecting the first network adapter from a group of available network adapters (col. 1, lines 50-67, col. 2, lines 23-51).
- 10. As per claim 10, Parker discloses the method wherein an available network adapter on a motherboard is selected before a network adapter that is not on the motherboard (col. 1, lines 50-67, col. 2, lines 23-51).

Art Unit: 2136

- 11. As per claim 11, Parker discloses the method wherein the key is to be used to authenticate an alert standard format message from the remote management device (col. 6, lines 57-67, col. 7, lines 1-16, lines 32-52).
- 12. As per claim 12, Parker discloses an apparatus, comprising: a storage medium having stored thereon instructions that when executed by a machine result in the following: receiving at a client device a key from a first network adaptor, the key being associated with a remote management device, and storing the key at a second network adapter (col. 1, lines 50-67, col. 2, lines 23-51).
- 13. Claims 13-21 are listed all the same elements of claim 2-11 but in the apparatus form rather than a method form. Therefore, the supporting rationales of the rejection to claim 2-11 apply equally as well to claim 13-21.
- 14. As per claim 22, Parker discloses an apparatus, comprising: a client device processor; an input path to receive a key from a first network adaptor, the key being associated with a remote management device; and an output path to store the key at a second network adapter (col. 1, lines 50-67, col. 2, lines 23-51).
- 15. As per claim 23-24, Parker discloses the apparatus comprising: a volatile memory unit to store the key, an input path to receive a clear-text key from a client device processor, the clear-text key being associated with a remote management device; an encryption engine to encrypt the clear-text key and generate an encrypted key; and a non-volatile storage unit to store the encrypted key (col. 6, lines 57-67, col. 7, lines 1-16, lines 32-52).

Art Unit: 2136

- 16. As per claim 25, Parker discloses the apparatus comprising: an input path to receive an encrypted key from the client device processor, the encrypted key to be stored in the non-volatile storage unit (col. 6, lines 57-67, col. 7, lines 1-16, lines 32-52).
- 17. As per claim 26, Parker discloses the apparatus comprising: an output path to provide an encrypted key to the client device processor (col. 6, lines 57-67, col. 7, lines 1-16, lines 32-52).
- 18. As per claim 27, Parker discloses an apparatus, comprising: a network adapter processor; and an input path to receive a key from another network adapter, the key being associated with a remote management device, (col. 1, lines 50-67, col. 2, lines 23-51).
- 19. As per claim 28, Parker discloses an apparatus wherein the input path is associated with a system management bus interface (col. 1, lines 50-67, col. 2, lines 23-51).
- 20. As per claim 29, Parker discloses a method, comprising: determining a clear-text key during an initialization process at a client device, the key being associated with a remote management device; storing the clear-text key at a network adaptor; and receiving from the network adaptor an encrypted version of the key (col. 1, lines 34-49).
- 21. As per claim 30, Parker discloses the method comprising: storing the encrypted version of the key at another network processor (col. 1, lines 50-67, col. 2, lines 23-51).
- 22. As per claim 31, Parker discloses a system, comprising: a client device processor, including: an input path to receive a key from a first network adaptor, the key being associated with a remote management device, and an output path to store the

Art Unit: 2136

key at a second network adapter; and an Ethernet port (col. 1, lines 50-67, col. 2, lines 23-51).

23. As per claim 32, Parker discloses the system comprising: a network adaptor coupled between the client device processor and the Ethernet port (col. 1, lines 50-67, col. 2, lines 23-51).

Conclusion

25. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mohammad w. Reza whose telephone number is 571-272-6590. The examiner can normally be reached on M-F (9:00-5:00). If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, MOAZZAMI NASSER G can be reached on (571)272-4195. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit: 2136

Mohammad Wasim Reza

AU 2136

NASSER MOAZZAMI SUPERVISORY PATENT EXAMINED TECHNOLOGY CENTER 2100

3/16/07

Notice of References Cited Application/Control No. | Applicant(s)/Patent Under Reexamination | 10/673,084 | VLODAVSKY ET AL. | Examiner | Art Unit | Mohammad W. Reza | 2136 | Page 1 of 1

U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
*	Α	US-6,832,313	12-2004	Parker, Thomas Anthony	713/150
*	В	US-5,944,794	08-1999	Okamoto et al.	709/225
*	С	US-2004/0068653	04-2004	Fascenda, Anthony C.	713/168
*	D	US-5,737,419	04-1998	Ganesan, Ravi	713/169
*	Е	US-6,886,095	04-2005	Hind et al.	713/168
*	F	US-2002/0101997	08-2002	Curtis et al.	380/279
	G	US-			
	Н	US-			
	1	US-			
	J	US-			
	К	US-			
	L	US-			
	М	US-			

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N					
	0					·
	Р			-	•	
	Q					i
	R				*	
	s					
	Т					

NON-PATENT DOCUMENTS

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	
	>	
	w	
	×	for a A hairs for inhead with this Office potion (See MDED 8 707 05(a))

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).)

Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.